

---


**GROUP 5****SYNTHETIC-RESIN  
PARTS****CONTENTS**

LOCATION OF SYNTHETIC-RESIN PARTS .....	<b>5-2</b>
---	------------

# LOCATION OF SYNTHETIC-RESIN PARTS

M4050001000270

The location and material of each of the principal synthetic-resin parts are shown below.



AB302017AB

No.	Part name	Material	Abbreviation of material	Heat-resistant temperature (°C)
1	Radiator grille	Acrylonitrile styrene acrylate	ASA	80
2	Fuel filler lid panel	66polyamide and polymer of 6I/6T polyamide	PA66+PA6I/6T	80
3	Rear wiper arm	Polybutylene terephthalate (30%)	PBT-GF30	80
4	Headlamp	Polycarbonate	PC	120
5	Tailgate outside handle	Polycarbonate+Polyethylene terephthalate	PC+PET	120
6	Door outside handle			
7	Splash shield	Polypropylene	PP	80
8	Delta cover			
9	Inside rear view mirror			
10	Splash shield rear			
11	Front bumper	Rubber denatured polypropylene	PP+E/P	80
12	Rear bumper			
13	Rear door moulding	Mineral filled modified polypropylene (30%)	PP+E/P-M30	80
14	Front door moulding			
15	Front door trim	Talc filled rubber modified polypropylene (20%)	PP+E/P-TD20	90
16	Rear door trim			
17	Cargo floor box	Polypropylene foam	PP-FOAM	80
18	Inside spare wheel box			
19	Door mirror	Glass reinforced polypropylene (25%)	PP-GF25	80
20	Headlamp support assembly	Glass reinforced polypropylene (40%)	PP-GF40	90
21	Floor console	Talc filled rubber modified polypropylene (10%)	PP+P/E-TD10	90
22	Console side cover			
23	Cowl side trim	Talc filled polypropylene (10%)	PP-TD10	90
24	Instrument panel			
25	Front pillar trim			
26	Centre pillar trim upper			
27	Centre pillar trim lower			
28	Quarter trim lower			
29	Rear end trim			
30	Tailgate trim			
31	Rear scuff plate			
32	Front scuff plate			

No.	Part name	Material	Abbreviation of material	Heat-resistant temperature (°C)
33	Front deck garnish	Talc filled polypropylene (20%)	PP-TD20	120-130
34	Quarter trim upper			
35	Roof drip moulding	Poly vinyl chloride	PVC	80
36	Instrument panel pad	Woodfiber polyolefinic thermoplastic elastomer	TEO/WF	90

**NOTE:**

- A slash (/) in the material symbol indicates that two different materials make two-layer construction. A plus sign (+) indicates that the two different materials mix each other.
- The indicated heat-resistant temperature for parts which are composed of two or more types of material is the value for the material with the lowest heat-resistant temperature.
- The material symbols for synthetic-resin parts are embossed on the parts in hidden places.